

# Prof. Dr. Thorsten Dill

## Publikationsverzeichnis

### Publikationen

- Hermanides RS, van Houwelingen G, Ottervanger JP, de Boer MJ, **Dill T**, Hamm C, Stella PR, Boersma E, Ten Berg JM, van 't Hof AW; for the On-TIME 2 trial investigators. The Impact of Age on Effects of Pre-hospital Initiation of High Bolus Dose of Tirofiban Before Primary Angioplasty for ST-Elevation Myocardial Infarction. *Cardiovasc Drugs Ther.* 2011 Aug;25(4):323-330.
- Rolf A, Assmus B, Schächinger V, Rixe J, Möllmann S, Möllmann H, Dimmeler S, Zeiher AM, Hamm CW, **Dill T**. Maladaptive hypertrophy after acute myocardial infarction positive effect of bone marrow-derived stem cell therapy on regional remodeling measured by cardiac MRI. *Clin Res Cardiol.* 2011 Jun 17. [Epub ahead of print]
- Hermanides RS, Ottervanger JP, Dambrink JH, **Dill T**, van Houwelingen G, Ten Berg JM, Kolkman E, Hamm C, van 't Hof AW. Risk of bleeding after prehospital administration of high dose tirofiban for ST Elevation Myocardial Infarction. *Int J Cardiol.* 2010 Dec 29.
- Heestermans T, Suryapranata H, ten Berg JM, Mosterd A, Gosselink AT, Kochman W, **Dill T**, van Houwelingen G, Kolkman E, van Werkum JW, Zijlstra F, Hamm C, van 't Hof AW. Facilitated reperfusion with prehospital glycoprotein IIb/IIIa inhibition: predictors of complete ST-segment resolution before primary percutaneous coronary intervention in the On-TIME 2 trial: correlates of reperfusion before primary PCI. *J Electrocardiol.* 2011 Jan-Feb;44(1):42-8.
- Heestermans T, van 't Hof AW, ten Berg JM, van Werkum JW, Boersma E, Mosterd A, Stella PR, van Zoelen AB, Gosselink AT, Kochman W, **Dill T**, Koopmans PC, van Houwelingen G, Zijlstra F, Hamm C. The golden hour of prehospital reperfusion with triple antiplatelet therapy: a sub-analysis from the Ongoing Tirofiban in Myocardial Evaluation 2 (On-TIME 2) trial early initiation of triple antiplatelet therapy. *Am Heart J.* 2010 Dec;160(6):1079-84.
- Mahabadi AA, Achenbach S, Burgstahler C, **Dill T**, Fischbach R, Knez A, Moshage W, Richartz BM, Ropers D, Schröder S, Silber S, Möhlenkamp S; Working group "Cardiac CT" of the German Cardiac Society. Safety, efficacy, and indications of betaadrenergic receptor blockade to reduce heart rate prior to coronary CT angiography. *Radiology.* 2010 Dec;257(3):614-23. Review.
- Campo dell'Orto M, Hamm C, Rolf A, **Dill T**, Seeger FH, Walcher F, Breitkreutz R. Echokardiographie als Wegweiser in der Peri-Reanimation. *Kardiologe* 2010;4:407-424.
- Hermanides RS, Heestermans AA, Ten Berg JM, Gosselink AT, Ottervanger JP, van Houwelingen KG, Kolkman JJ, Stella PR, **Dill T**, Hamm C, van 't Hof AW. High-dose tirofiban pretreatment reduces the need for bail-out study medication in patients with ST-segment elevation myocardial infarction: results of a subgroup analysis of the On-TIME 2 trial. *Heart.* 2011 Jan;97(2):106-11.
- Smit JJ, van Werkum JW, ten Berg J, Slingerland R, Ottervanger JP, Heestermans T, **Dill T**, Hamm C, van 't Hof AW; Ongoing Tirofiban in Myocardial Infarction Evaluation (On-TIME) trial investigators. Prehospital triple antiplatelet therapy in patients with acute ST elevation myocardial infarction leads to better platelet aggregation inhibition and clinical outcome than dual antiplatelet therapy. *Heart.* 2010 Nov;96(22):1815-20.
- Timmer JR, ten Berg J, Heestermans AA, **Dill T**, van Werkum JW, Dambrink JH, Suryapranata H, Ottervanger JP, Hamm C, van 't Hof AW; Ongoing Tirofiban In Myocardial Infarction Evaluation (On - Time) 2 study group. Pre-hospital administration of tirofiban in diabetic patients with ST-elevation myocardial infarction undergoing primary angioplasty: a sub-analysis of the On-Time 2 trial. *EuroIntervention.* 2010 Aug;6(3):336-42.
- Neumann T, Kuniss M, Conradi G, Janin S, Berkowitsch A, Wojcik M, Rixe J, Erkapic D, Zaltsberg S, Rolf A, Bachmann G, **Dill T**, Hamm CW, Pitschner HF. MEDAFI-Trial (Micro-embolization during ablation of atrial fibrillation): comparison of pulmonary vein isolation using cryoballoon technique vs. radiofrequency energy. *Europace.* 2011 Jan;13(1):37-44.
- ten Berg JM, van 't Hof AW, **Dill T**, Heestermans T, van Werkum JW, Mosterd A, van Houwelingen G, Koopmans PC, Stella PR, Boersma E, Hamm C; On-TIME 2 Study Group. Effect of early, pre-hospital initiation of high bolus dose tirofiban in patients with ST-segment

elevation myocardial infarction on short- and long-term clinical outcome. *J Am Coll Cardiol*. 2010 Jun 1;55(22):2446-55.

- Patel MR, Worthley SG, Stebbins A, **Dill T**, Rademakers FE, Valeti US, Barsness GW, Van de Werf F, Hamm CW, Armstrong PW, Granger CB, Kim RJ. Pexelizumab and infarct size in patients with acute myocardial infarction undergoing primary percutaneous coronary intervention: a delayed enhancement cardiac magnetic resonance substudy from the APEX-AMI trial. *JACC Cardiovasc Imaging*. 2010 Jan;3(1):52-60.
- Assmus B, Rolf A, Erbs S, Elsässer A, Haberbosch W, Hambrecht R, Tillmanns H, Yu J, Corti R, Mathey DG, Hamm CW, Süselbeck T, Tonn T, Dimmeler S, **Dill T**, Zeiher AM, Schächinger V; REPAIR-AMI Investigators. Clinical outcome 2 years after intracoronary administration of bone marrow-derived progenitor cells in acute myocardial infarction. *Circ Heart Fail*. 2010 Jan;3(1):89-96.
- Wagner A, Bruder O, Schneider S, Nothnagel D, Buser P, Pons-Lado G, **Dill T**, Hombach V, Lombardi M, van Rossum AC, Schwitter J, Senges J, Sabin GV, Sechtem U, Mahrholdt H, Nagel E. Current variables, definitions and endpoints of the European cardiovascular magnetic resonance registry. *J Cardiovasc Magn Reson*. 2009 Nov 5;11:43.
- Bruder O, Schneider S, Nothnagel D, **Dill T**, Hombach V, Schulz-Menger J, Nagel E, Lombardi M, van Rossum AC, Wagner A, Schwitter J, Senges J, Sabin GV, Sechtem U, and Mahrholdt. European Cardiovascular Magnetic Resonance (Euro CMR) Registry - Results of the German Pilot Phase. *J Am Coll Cardiol* 2009;54:1457-66.
- Rolf A, Nef HM, Möllmann H, Troidl C, Voss S, Conradi G, Rixe J, Steiger H, Beiring K, Hamm CW, **Dill T**. Immunohistological basis of the late gadolinium enhancement phenomenon in tako-tsubo cardiomyopathy. *Eur Heart J*. 2009;30(13):1635-42.
- Rixe J, Conradi G, Rolf A, Schmermund A, Magedanz A, Erkapic D, Deetjen A, Hamm CW, **Dill T**. Radiation Dose Exposure of Computed Tomography Coronary Angiography - Comparison of Dual Source -, 16 – slice, and 64 – slice – CT. *Heart*. 2009; 95(16):1337-42.
- Rolf A, **Dill T**. Magnetic Resonance Assessment of Stem Cells. *Current Cardiovascular Imaging Reports* 2009;April.
- **Dill T**, Schächinger V, Rolf A., Möllmann S, Thiele H, Assmus B, Tillmanns H, Dimmeler S, Zeiher A, Hamm CW. Left ventricular function after intracoronary infusion of bone marrow – derived progenitor cells after acute STEMI: MRI substudy of the double-blind, randomized, placebo-controlled multicenter REPAIR-AMI trial. *American Heart J* 2009; *Am Heart J*. 2009 Mar;157(3):541-7.
- Neumann T, Kuniss M, Conradi G, Sperzel J, Berkowitsch A, Zaltsberg S, Wojcik M, Erkapic D, **Dill T**, Hamm CW, Pitschner HF. Pulmonary vein stenting for the treatment of acquired severe pulmonary vein stenosis after pulmonary vein isolation: clinical implications after long-term follow-up of 4 years. *J Cardiovasc Electrophysiol*. 2009 Mar;20(3):251-7.
- Rixe J, Rolf A, Conradi G, Elsaesser A, Moellmann H, Nef H, Hamm CW, **Dill T**. Detection of relevant coronary artery disease using dual-source computed tomography in a high probability patient series: comparison with invasive angiography. *Circ J*. 2009 Feb;73(2):316-22.
- Rixe J, Rolf A, Conradi G, Elsaesser A, Moellmann H, Nef HM, Bachmann G, Hamm CW, **Dill T**. Image quality on dual-source computed-tomographic coronary angiography. *Eur Radiol*. 2008 Sep;18(9):1857-62.
- Erkapic D, Rixe J, Strunk J, Hamm CW, **Dill T**. Acute aortitis with spinal artery aneurysms detected by contrast enhanced magnetic resonance imaging. *Clin Res Cardiol*. 2009;98:59-61.
- Van't Hof AW, Ten Berg J, Heestermans T, **Dill T**, Funck RC, van Werkum W, Dambrink JH, Suryapranata H, van Houwelingen G, Ottervanger JP, Stella P, Giannitsis E, Hamm C; Ongoing Tirofiban In Myocardial infarction Evaluation (On-TIME) 2 study group. Prehospital initiation of tirofiban in patients with ST-elevation myocardial infarction undergoing primary angioplasty (On-TIME 2): a multicentre, double-blind, randomised controlled trial. *Lancet*. 2008 Aug 16;372(9638):537-46.
- **Dill T**. Contraindications to Magnetic Resonance Imaging: non invasive imaging. *Heart* 2008 Jul;94(7):943-8.
- Weber C, Weber M, Ekinici O, Neumann T, Deetjen A, Rolf A, Adam G, Hamm CW, **Dill T**. Atrial Septal Defects Type II: Noninvasive evaluation of patients prior to and after implantation of an Amplatzer Septal Occluder® by magnetic resonance imaging compared with TEE and invasive measurement. *European Radiology* 2008 Nov;18(11):2406-13.

- Möllmann H, Weber M, Elsässer A, Nef H, **Dill T**, Rixe J, Schmitt J, Sperzel J, Hamm CW. NT-ProBNP predicts rhythm stability after cardioversion of lone atrial fibrillation. *Circ J*. 2008 Jun;72(6):921-5.
- Nef HM, Möllmann H, Hilpert P, Krause N, Troidl C, Weber M, Rolf A, **Dill T**, Hamm C, Elsässer A. Apical regional wall motion abnormalities reminiscent to Tako-Tsubo cardiomyopathy following consumption of psychoactive fungi. *Int J Cardiol*. 2008 Mar 28. [Epub ahead of print].
- Möllmann H, Nef H, Willmer M, Joseph A, Weber M, Rixe J, Rolf A, **Dill T**, Hamm C, Elsässer A. Percutaneous closure of a saphenous vein graft aneurysm being at risk for rupture. *Clin Res Cardiol*. 2008 Mar;97(3):187-90.
- Schwitter J, Wacker CM, van Rossum AC, Lombardi M, Al-Saadi N, Ahlstrom H, **Dill T**, Larsson HBW, Flamm SD, Marquardt M, Johansson L. MR-IMPACT: comparison of perfusion-cardiac magnetic resonance with single-photon emission computed tomography for the detection of coronary artery disease in a multicentre, multivendor, randomized trial. *Eur Heart J*. 2008 Jan 21; [Epub ahead of print].
- Steiger H, **Dill T**. Cardiomyopathy complicated by a thrombo-embolic event and ventricular tachycardia. *Der Kardiologe* 2008;2:121-123.
- Rolf A, **Dill T**. Koronaranomalien – atypischer Abgang aus dem gegenüberliegenden Sinus valsalvae mit interarteriellem Verlauf (ACAOS). *Der Kardiologe* 2008;6:506-512.
- Nef HM, Möllmann H, Troidl C, Kostin S, Böttger T, Voss S, Hilpert P, Krause N, Weber M, Rolf A, **Dill T**, Schaper J, Hamm CW, Elsässer A. Expression profiling of cardiac genes in Tako-Tsubo cardiomyopathy: Insight into a new cardiac entity. *J Mol Cell Cardiol*. 2007 Nov 28; [Epub ahead of print].
- Nef HM, Möllmann H, Hilpert P, Masseli F, Troidl C, Rolf A, **Dill T**, Skwara W, Weber M, Hamm C, Elsässer A. Severe mitral regurgitation in Tako-Tsubo cardiomyopathy. *Int J Cardiol*. 2007 Nov 26; [Epub ahead of print].
- Nef HM, Möllmann H, Kostin S, Troidl C, Voss S, Weber M, **Dill T**, Rolf A, Brandt R, Hamm CW, Elsässer A. Tako-Tsubo cardiomyopathy: Intraindividual structural analysis in the acute phase and after functional recovery. *Eur Heart J* 2007, Oct;28(20):2456-64.
- Deetjen A, Möllmann S, Conradi G, Rolf A, Schmermund A, Hamm CW, **Dill T**. Use of Automatic exposure control in multislice computed tomography of the coronaries: Comparison of 16-slice and 64-slice scanner data with conventional coronary angiography. *Heart*. 2007 Sep;93(9):1040-3.
- Nef HM, Mollmann H, Hilpert P, Masseli F, Kostin S, Troidl C, Rolf A, **Dill T**, Weber M, Hamm C, Elsässer A. Sympathoadrenergic overstimulation in Tako-Tsubo cardiomyopathy triggered by physical and emotional stress. *Int J Cardiol*. 2007 Aug 16; [Epub ahead of print].
- **Dill T**, Deetjen A, Ekinci O, Moellmann S, Conradi G, Kluge A, Weber C, Weber M, Nef H, Hamm CW. Radiation dose exposure in multislice computed tomography of the coronaries in comparison with conventional coronary angiography. *Int J Cardiol* 2007 Mar 14;124(3):307-11.
- Deetjen A, Conradi G, Möllmann S, Ekinci O, Weber M, Möllmann H, Nef H, Hamm CW, **Dill T**. Diagnostic value of the 16 detector row multislice spiral computed tomography for the detection of coronary artery stenosis in comparison to invasive coronary angiography in consecutive patients. *Clin Cardiol* 2007, Mar;30(3):118-23.
- Mollmann H, Nef HM, Weber M, Rau M, **Dill T**, Hamm CW, Elsässer A. Recurrent angina after complete coronary revascularization. *Clin Res Cardiol*. 2007 Feb 26.
- **Dill T**, Hamm CW. Stellenwert der MRT und der Mehrschicht Computer-Tomographie in der Diagnostik bei akutem Thoraxschmerz. *Kardiologie up2date* 2007;3.Jahrgang:251-260.
- Conradi G, Deetjen A, Mollmann S, Hamm CW, **Dill T**. Symptomatic atrial fibrillation as the first symptom of a giant left atrial appendage aneurysm. *Clin Res Cardiol*. 2006 Nov;95(11):614-6.
- Maksimovic R, **Dill T**, Ristic AD, Seferovic PM. Imaging in percutaneous ablation for atrial fibrillation. *Eur Radiol*. 2006 Nov;16(11):2491-504.
- Kluge A, Gerriets T, Stolz E, **Dill T**, Mueller KD, Mueller C, Bachmann G. Pulmonary perfusion in acute pulmonary embolism: agreement of MRI and SPECT for lobar,segmental and subsegmental perfusion defects. *Acta Radiol*. 2006 Nov;47(9):933-40.

- Maksimovic R, **Dill T**, Seferovic PM, Ristic AD, Alter P, Simeunovic DS, Markovic Z, Bachmann GF, Maisch B. Magnetic resonance imaging in pericardial diseases: indications and diagnostic value. *Herz* 2006 Oct;31(7):708-14.
- Nef HM, Mollmann H, Vogt A, Weber M, Deetjen A, **Dill T**, Brandt R, Hamm CW, Elsasser A. Multiple Episodes of a Transient Global Left Ventricular Dysfunction Reminiscent to Apical Ballooning. *Cardiology*. 2006 Sep 5;108(1):1-3.
- Deetjen A, Conradi G, Mollmann S, Kluge A, Hamm CW, **Dill T**. Cardiac metastasis of a renal cell adenocarcinoma investigated by cardiac magnetic resonance imaging. *Clin Res Cardiol*. 2006 Sep;95(9):492-5.
- Neumann T, Erdogan A, **Dill T**, Greiss H, Berkowitsch A, Sperzel J, Kuniss M, Kurzidim K, Hamm CW, Pitschner HF. Asymptomatic recurrences of atrial fibrillation after pulmonary vein isolation. *Europace*. 2006 Jul;8(7):495-8.
- Maksimovic R, Ekinici O, Reiner C, Bachmann GF, Seferovic PM, Ristic AD, Hamm CW, Pitschner HF, **Dill T**. The value of magnetic resonance imaging for the diagnosis of arrhythmogenic right ventricular cardiomyopathy. *Eur Radiol*. 2006 Mar;16(3):560-8.
- Deetjen AG, Conradi G, Mollmann S, Hamm CW, **Dill T**. Cardiac angiosarcoma diagnosed and characterized by cardiac magnetic resonance imaging. *Cardiol Rev*. 2006 Mar-Apr;14(2):101-3.
- Deetjen AG, Conradi G, Mollmann S, Rad A, Hamm CW, **Dill T**. Value of gadolinium-enhanced magnetic resonance imaging in patients with Tako-Tsubo-like left ventricular dysfunction. *J Cardiovasc Magn Reson*. 2006;8(2):367-72.
- Rieth A, **Dill T**, Deetjen A, Djuric D, Mitrovic V. Effects of homocysteine-lowering therapy on endothelial function, carotid wall thickness, and myocardial perfusion. *ACTA FAC MED NAISS* 2006;23(4):179-184.
- Brandt RR, Arnold R, Bohle RM, **Dill T**, Hamm CW. Cardiac angiosarcoma: case report and review of the literature. *Z Kardiol*. 2005 Dec;94(12):824-8.
- Kluge A, Gerriets T, Muller C, Ekinici O, Neumann T, **Dill T**, Bachmann G. Thoracic real-time MRI: experience from 2200 examinations in acute and ill-defined thoracic diseases. *Rofo*. 2005 Nov;177(11):1513-21.
- Weber M, **Dill T**, Deetjen A, Ekinici O, Hansel J, Elsässer A, Mitrovic V. Left ventricular adaptation after interventional ASD closure assessed by elevated levels of NT-proBNP and cardiac MRI. *Heart*. 2005 Oct 10.
- Elsasser A, Mollmann H, Nef H, **Dill T**, Brandt R, Skwara W, Hennig T, Rau M, Hamm C. Transcatheter closure of a ruptured ventricular septum after myocardial infarction using a venous approach. *Z Kardiol*. 2005 Oct;94(10):684-9.
- Deetjen A, Mollmann S, **Dill T**, Hamm CW. Left atrial myxoma diagnosed and characterized by cardiac magnetic resonance imaging. *Z Kardiol*. 2005 Oct;94(10):695-8.
- Nef HM, Mollmann H, Mollmann S, **Dill T**, Hamm CW, Elsasser A. Primary stenting of the left main coronary artery with anomalous origin from the right sinus of valsalva. *Int J Cardiol*. 2005 Jan 2;114(1):137-8.
- Berkowitsch A, Neumann T, Ekinici O, Greiss H, **Dill T**, Kurzidim K, Kuniss M, Schneider HJ, Pitschner HF. A decrease in pulmonary vein diameter after radiofrequency ablation predicts the development of severe stenosis. *Pacing Clin Electrophysiol*. 2005 Jan; 28 (1 Suppl):S83-5.
- Neumann T, Sperzel J, **Dill T**, Kluge A, Erdogan A, Greiss H, Hansel J, Berkowitsch A, Kurzidim K, Kuniss M, Hamm CW, Pitschner H-F. Percutaneous pulmonary vein stenting for the treatment of severe stenosis after pulmonary vein isolation. *J of Cardiovasc Electrophysiol* 2005; Vol 16:pp1-8.
- **Dill T**, Ekinici O, Hansel J, Kluge A, Breidenbach C, Hamm CW. Delayed contrast enhanced magnetic resonance imaging for the detection of autoimmune myocarditis and long-term follow-up. *J Cardiovasc Magnetic Resonance*. 2005; 7(2):521-3.
- Weber M, Neumann T, Rau M, Brandt R, **Dill T**, Maikowski C, Mitrovic V, Hamm C. Cardiopulmonary exercise capacity increases after interventional ASD-closure. *Z Kardiol*. 2004 Mar; 93(3):209-15.
- Szalay ZA, Civelek A, **Dill T**, Klovekorn WP, Kilb I, Bauer EP. Long-term follow-up after the mini-maze procedure. *Ann Thorac Surg*. 2004 Apr; 77(4):1277-81.

- John A, **Dill T**. Magnetic resonance to assess the aortic valve area in aortic stenosis: how does it compare to current diagnostic standards? *J Am Coll Cardiol*. 2004 Jun 2; 43(11):2148; author reply 2148–9.
- Kluge A, **Dill T**, Ekinci O, Hansel J, Hamm CW, Pitschner HF, Bachmann GF. Decreased pulmonary perfusion in pulmonary vein stenosis after radiofrequency ablation: assessment with dynamic MR perfusion imaging. *Chest*. 2004 Aug; 126(2):428–37.
- Weber M, **Dill T**, Arnold R, Rau M, Ekinci O, Müller KD, Berkowitsch A, Mitrovic V, Hamm CW. N-terminal B-type natriuretic peptide (NT-proBNP) predicts extent of coronary artery disease and ischemia in patients with stable angina pectoris. *Am Heart J*. 2004 Oct; 148(4):612–20.
- **Dill T**, Breidenbach C, John A, Brandt RR, Ekinci O, Szalay Z, Bauer EP, Ricken W, Bachmann G, Hamm CW. Pre- and postoperative assessment of left ventricular function by magnetic resonance and 2D-echocardiography in patients undergoing left ventricular aneurysmectomy. *Thorac Cardiovasc Surg*. 2004 Oct; 52(5):274–9.
- John A, **Dill T**, Brandt RR, Rau M, Ricken W, Bachmann G, Hamm CW. Magnetic resonance imaging to assess the aortic valve area in aortic stenoses: How does it compare to current diagnostic standards ? *J Am Coll Cardiol*. 2003 Aug 6; 42(3):519–26.
- Dix WR, Kupper W, **Dill T**, Hamm CW, Job H, Lohmann M, Reime B, Ventura R. Comparison of intravenous coronary angiography using synchrotron radiation with selective coronary angiography. *J Synchrotron Radiat*. 2003 May 1; 10 (Pt 3):219–27.
- **Dill T**, Neumann T, Ekinci O, Breidenbach C, John A, Erdogan A, Bachmann G, Hamm CW, Pitschner HF. Pulmonary vein diameter reduction after radiofrequency catheter ablation for paroxysmal atrial fibrillation evaluated by contrast-enhanced three-dimensional magnetic resonance imaging. *Circulation*. 2003 Feb 18; 107(6):845–50.
- Weber C, **Dill T**, Mommert I, Hofmann T, Adam G. The role of MRI for the evaluation of atrial septal defects before and after percutaneous occlusion with the amplatzer septal occluder. *Rofo Fortschr Geb Rontgenstr Neuen Bildgeb Verfahr*. 2002 Nov; 174(11):1387–94.
- **Dill T**, vom Dahl J. Role of atherectomy devices in interventional cardiology. *Herz* 2002 Sep; 27(6):502–7.
- Weber C, Steiner P, Sinkus R, **Dill T**, Börnert P, Adam G. Correlation of 3D MR Coronary Angiography with selective coronary angiography: Feasibility of the motionadapted gating technique. *Eur Radiol* 2002; 12:718–726.
- Dietz U, Rupprecht HJ, Ekinci O, **Dill T**, Erbel R, Kuck KH, Abdollahnia R, Rippin G, Meyer J, Hamm C. Angiographic analysis of immediate and long-term results of PTCA vs. PTCA in complex lesions (COBRA-study). *Catheter Cardiovasc Interv*. 2001 Jul;53 (3):359–6.
- Ventura R, **Dill T**, Dix WR, Lohmann M, Job H, Kupper W, Fattori R, Nienaber C, Hamm CW, Meinertz T. Intravenous coronary angiography using synchrotron radiation: technical description and preliminary results. *Ital Heart J*. 2001 Apr; 2 (4):306–11.
- **Dill T**, Job H, Dix WR, Ventura R, Kupper W, Hamm CW, Meinertz T: Intravenöse Koronarangiographie mit Synchrotronstrahlung. *Z Kardiol* 2000; 89 (1):27–33.
- **Dill T**, Dietz U, Hamm CW, Kuchler R, Rupprecht HJ, Haude M, Cyran J, Özbek C, Kuck KH, Berger J, Erbel R. A randomized comparison of balloon angioplasty versus rotational atherectomy in complex coronary lesions (COBRA-Study). *Eur Heart J* 2000; 21:1759–1766.
- Jung M, **Dill T**, Dix WR, Hamm CW, Kupper W, Lohmann M, Reime B, Ventura R. Rapid Computer-Assisted Diagnostics in Intravenous Coronary Angiography. *Computers in Cardiology* 1999 (IEEE); 26:359–362.
- **Dill T**, Dix WR, Hamm CW, Jung M, Kupper W, Lohmann M, Reime B, Ventura R. Intravenous Coronary Angiography: Experience in 276 Patients. *Synchrotron Radiation News* 1998; Vol. 11, No. 2:12–20.
- **Dill T**, Dix WR, Hamm CW. Intravenous coronary angiography with synchrotron radiation. *European Journal of Physics* 1998; 19:499–511.
- **Dill T**, Hamm CW. Rotablation: Technik, Indikation, Ergebnisse. *HERZ* 1997 Dec; 22 (6):291–298.
- Erbel R, **Dill T**, Dietz U et al. on behalf of the COBRA-Study group: A randomized study of high speed rotational atherectomy and percutaneous transluminal coronary angioplasty in patients with complex coronary artery stenoses (COBRA study). *J Interv Cardiol* 1997; 10:271–275.

## Buchbeiträge

- **Dill T**, Ventura R, Dix WR, Dünger O, Jung M, Lohmann M, Reime B, Kupper W, Hamm CW. Intravenous Coronary Angiography with Dichromography using Synchrotron Radiation. Ando M, Uyama C (Eds.): Medical Applications of Synchrotron Radiation. Springer Verlag Tokyo 1998.
- **Dill T**, Buschmann I. Komponenten des EKG und Leitwege zur EKG-Befundung und Therapie, in Hamm CW, Willems S: Checkliste Elektrokardiographie. Thieme Verlag, Stuttgart, 1998.
- **Dill T**, Buschmann I. Komponenten des EKG und Leitwege zur EKG-Befundung und Therapie, in Hamm CW, Willems S: Checkliste Elektrokardiographie. Thieme Verlag, Stuttgart, 2. Auflage, 2001.
- **Dill T**, Brandt RR, Hamm C. Koronare Herzkrankheit. Alexander und Konstantin Bob (Herausgeber). Duale Reihe Innere Medizin. Thieme Verlag, Stuttgart, Neuauflage 2008.
- **Dill T**, Hamm C. Akutes Koronarsyndrom. Alexander und Konstantin Bob (Herausgeber). Duale Reihe Innere Medizin. Thieme Verlag, Stuttgart, Neuauflage 2008.
- Köster R, **Dill T**, Hamm C. Angeborene Herz- und Gefäßfehlbildungen. Alexander und Konstantin Bob (Herausgeber). Duale Reihe Innere Medizin. Thieme Verlag, Stuttgart, Neuauflage 2008.
- Brandt RR, **Dill T**, Hamm C. Erworbene Herzklappenfehler. Alexander und Konstantin Bob (Herausgeber). Duale Reihe Innere Medizin. Thieme Verlag, Stuttgart, Neuauflage 2008.
- **Dill T**, Hamm C. Innere Medizin/Kardiologie-Angiologie. Pschyrembel Handbuch Therapie. Walter deGruyter Verlag, Berlin; Neuauflage 2009.