

1) Autologous fat injection for treatment of carpometacarpal joint osteoarthritis of the thumb – a promising alternative

Herold C, Fleischer O, Allert S.

Handchir Mikrochir Plast Chir. 2014 Apr;46(2):108-12.

2) Stem cell enrichment does not warrant a higher graft survival in lipofilling of the breast: a prospective comparative study.

<http://www.ncbi.nlm.nih.gov/pubmed/23845909>

Peltoniemi HH, Salmi A, Miettinen S, Mannerström B, Saariniemi K, Mikkonen R, Kuokkanen H, Herold C. J Plast Reconstr Aesthet Surg. 2013 Nov;66(11):1494-503.

3) Apoptotic pathways in adipose tissue.

<http://www.ncbi.nlm.nih.gov/pubmed/23584726>

Herold C, Rennekampff HO, Engeli S.

Apoptosis. 2013 Aug;18(8):911-6

4) Autologous Fat Transplantation: Volumetric Tools for Estimation of Volume Survival. A Systematic Review.

<http://www.ncbi.nlm.nih.gov/pubmed/23354764>

Herold C, Ueberreiter K, Busche MN, Vogt PM.

Aesthetic Plast Surg. 2013 Jan 26. [Epub ahead of print]

5) Stammzellangereicherte Fetttransplantation in der rekonstruktiven Chirurgie

<http://www.egms.de/static/de/journals/gpras/2012-2/gpras000009.shtml>

Herold C, Vogt PM, Busche MN, Jokuszies A, Park J, Rennekampff HO

GMS Ger Plast Reconstr Aesthet Surg 2012; 2

6) Brava and autologous fat transfer is a safe and effective breast augmentation alternative: results of a 6-year, 81-patient, prospective multicenter study.

<http://www.ncbi.nlm.nih.gov/pubmed/22929274>

Herold C, Ueberreiter K, Vogt PM.

Plast Reconstr Surg. 2012 Sep;130(3):479e-80e.

7) Negative pressure of manual liposuction with Coleman technique is highly dependant on the position of plunger of the syringe.

<http://www.ncbi.nlm.nih.gov/pubmed/22264398>

Herold C, Utz P, Pflaum M, Wilhelmi M, Vogt PM, Rennekampff HO.

J Plast Reconstr Aesthet Surg. 2012 Jul;65(7):983-4. Epub 2012 Jan 20.

8) [Viability of autologous fat grafts harvested with the Coleman technique and the tissu trans system (shippert method): a comparative study].

<http://www.ncbi.nlm.nih.gov/pubmed/22241519>

Herold C, Pflaum M, Utz P, Wilhelmi M, Rennekampff HO, Vogt PM.

Handchir Mikrochir Plast Chir. 2011 Dec;43(6):361-7.

9) Apoptosis in extracorporeal preserved inguinal fat flaps of the rat.

<http://www.ncbi.nlm.nih.gov/pubmed/22223358>

Herold C, Rennekampff HO, Ohm L, Strauss S, Linkner J, Reimers K, Allmeling C, Vaske B, Vogt PM.

Apoptosis. 2012 Apr;17(4):400-9.

10) Autologous fat transplantation for labia majora reconstruction.

<http://www.ncbi.nlm.nih.gov/pubmed/21359987>

Vogt PM, Herold C, Rennekampff HO.

Aesthetic Plast Surg. 2011 Oct;35(5):913-5. Epub 2011 Feb 27.

11) Stem Cell-Enhanced Fat Transplantation - A Potential Therapeutic Option for Radiation Ulcus?]

<http://www.ncbi.nlm.nih.gov/pubmed/21351048>

Herold C, Rennekampff HO, Krämer R, Hillmer A, Knobloch K, Vogt P.

Zentralbl Chir. 2011 Feb 24.

12) Is there a need for intrapectoral injection in autologous fat transplantation to the breast? – An MRI volumetric study].

<http://www.ncbi.nlm.nih.gov/pubmed/21287439>

Herold C, Ueberreiter K, Cromme F, Grimme M, Vogt PM.

Handchir Mikrochir Plast Chir. 2011 Apr;43(2):119-24. Epub 2011 Feb 1.

13) [BEAULI™--a new and easy method for large-volume fat grafts].

<http://www.ncbi.nlm.nih.gov/pubmed/21161858>

Ueberreiter K, von Finckenstein JG, Cromme F, Herold C, Tanzella U, Vogt PM.

Handchir Mikrochir Plast Chir. 2010 Dec;42(6):379-85. doi: 10.1055/s-0030-1267913. Epub 2010 Dec 15. German. Erratum in: Handchir Mikrochir Plast Chir. 2011 Feb;43(1):65.

14) Magnetic resonance imaging-based progress control after autologous fat transplantation.

<http://www.ncbi.nlm.nih.gov/pubmed/21042080>

Herold C, Knobloch K, Rennekampff HO, Ueberreiter K, Vogt PM.

Plast Reconstr Surg. 2010 Nov;126(5):260e-261e.

15) Serial breast magnetic resonance imaging to enhance safety following autologous fat injection after breast cancer?

<http://www.ncbi.nlm.nih.gov/pubmed/20679859>

Knobloch K, Herold C, Rennekampff HO, Vogt PM.

Plast Reconstr Surg. 2010 Aug;126(2):675; author reply 675-6.

16) Does the injection plane matter in autologous fat transplantation?

<http://www.ncbi.nlm.nih.gov/pubmed/20333518>

Herold C, Knobloch K, Grimme M, Vogt PM.

Aesthetic Plast Surg. 2010 Oct;34(5):678-9.

17) [The use of mamma MRI volumetry to evaluate the rate of fat survival after autologous lipotransfer].

<http://www.ncbi.nlm.nih.gov/pubmed/20127593>

Herold C, Ueberreiter K, Cromme F, Busche MN, Vogt PM.

Handchir Mikrochir Plast Chir. 2010 Apr;42(2):129-34. Epub 2010 Feb 1.

18) A normothermic perfusion bioreactor to preserve viability of rat groin flaps extracorporeally.

<http://www.ncbi.nlm.nih.gov/pubmed/20005404>

Herold C, Reimers K, Allmeling C, Rennekampff HO, Vogt PM.

Transplant Proc. 2009 Dec;41(10):4382-8.